

---

## REFERENCES

- Aakvik, R. 1981: *Facies analyse av undre karbonske kullførende sedimenter, Billefjorden, Spitsbergen*. Unpublished thesis, University of Bergen. 1-219.
- Århus, N. 1991: Dinoflagellate cyst stratigraphy of some Aptian and Albian sections from Northern Greenland, Southeast Spitsbergen and Barents Sea. *Cretaceous Research* 12, 209-225.
- Århus, N., Kelly, S.R.A., Collins, J.S.H. & Sandy, M. R. 1990: Systematic palaeontology and biostratigraphy of two Lower Cretaceous condensed sections from the Barents Sea. *Polar Research* 8 (2), 165-194.
- Abdullah, W.H., Murchison, D., Jones, J.M., Telnaes, N. & Gjelberg, J. 1988: Lower Carboniferous coal depositional environments on Spitsbergen, Svalbard. *Organic geochemistry* 13 (4-6). *Advances in Organic Geochemistry 1987, part 2: Analytical geochemistry*. 953-964.
- Amundsen, H.E.F. 1987: Evidence for liquid immiscibility in the upper mantle. *Nature* 327 (6124), 692-695.
- Amundsen, H.E.F., Griffin, W.L. & O'Reilly, S.Y. 1987: The lower crust and upper mantle beneath northwestern Spitsbergen: evidence from xenoliths and geophysics. *Tectonophysics* 139, 169-185.
- Amundsen, H.E.F., Griffin, W.L. & O'Reilly, S.Y. 1988: The nature of the lithosphere beneath northwestern Spitsbergen: xenolith evidence. *NGU Special Publication* 3, 58-65.
- Andersson, J.G. 1900: Über die Stratigraphie und Tektonik der Bäreninsel. *Bull. Geol. Inst. University of Uppsala* 4, 243-280.
- Atkinson, D. 1956: The occurrence of chloritoid in the Hecla Hoek formation of Prince Charles Foreland, Spitsbergen. *Geological Magazine* 93 (1).
- Atkinson, D.J. 1962: Tectonic control of sedimentation and the interpretation of sediment alternation in the Tertiary of Prins Karls Forland, Spitsbergen. *Geological Society of America, Bulletin* 73, 343-364.
- Atkinson, D.J. 1963: Tertiary rocks of Spitsbergen. *American Association of Petroleum Geologists, Bulletin* 47 (2), 302-323.
- Bäckström, S.A. & Nagy, J. 1985: Depositional history and fauna of a Jurassic phosphorite conglomerate (the Brentskardhaugen Bed) in Spitsbergen. *Norsk Polarinstittut Skrifter* 183, 1-61.
- Barbaroux, L. 1967: Les formations 'Détritiques-coralligènes' Carbonifères de la Presqu'île de Brøgger (Baie du Roi - Vestspitsbergen). *Bulletin Société Géologique de France (7. serie)* 9, 714-722.
- Basov, V.A., Pčelina, T.M., Bro, E.G. and others 1993: Mesozoic sequences and zonal stratigraphy of the Barents Shelf and adjacent islands. *IKU Report, Arctic Correlation and Exploration Programme*.
- Bates, D.E.B. & Schwarzacher, W. 1958: The geology of the land between Ekmanfjorden and Dicksonfjorden in Central Vest-Spitsbergen. *Geological Magazine* 95.
- Bergh, S.G. & Andresen, A. 1990: Structural development of the Tertiary fold-and-thrust belt in Oscar II Land, Spitsbergen. *Polar Research* 8, 217-236.
- Biernat, G. & Birkenmajer, K. 1981: Permian brachiopods from the base of the Kapp Starostin Formation at Polakkfjellet, Spitsbergen. *Studia Geologica Polonica* 73, 7-24.
- Birkelund, T. & Håkansson, E. 1983: The Cretaceous of North Greenland - a stratigraphic and biogeographical analysis. *Zitteliana* 10, 7-25.
- Birkenmajer, K. 1959: Report on the geological investigations of the Hornsund area, Vestspitsbergen, in 1958. Pt. 2: Post-Caledonian succession. *Bulletin of the Polish Academy of Sciences, Earth Sciences VII* (2), 191-196.
- Birkenmajer, K. 1964: Devonian, Carboniferous and Permian formations of Hornsund, Vestspitsbergen. *Studia Geologica Polonica* 11, 47-123.
- Birkenmajer, K. 1972a: Megaripples and phosphorite pebbles in the Rhaeto-Liassic beds south of Van Keulenfjorden, Spitsbergen. *Norsk Polarinstittut Årbok* 1970, 117-127.
- Birkenmajer, K. 1972b: Tertiary history of Spitsbergen and continental drift. *Acta Geologica Polonica* 22 (2), 193-218.
- Birkenmajer, K. 1975: Jurassic and Lower Cretaceous sedimentary formations of SW Torell Land, Spitsbergen. *Studia Geologica Polonica* 44, 7-43.
- Birkenmajer, K. 1977: Triassic sedimentary formations of the Hornsund area, Spitsbergen. *Studia Geologica Polonica* 51, 1-74.
- Birkenmajer, K. 1978: Ordovician succession in south Spitsbergen. *Studia Geologica Polonica* 59, 47-82.
- Birkenmajer, K. 1979a: Paleotransport and source of Early Carboniferous fresh-water clastics of South Spitsbergen. *Studia Geologica Polonica* 60, 39-43.
- Birkenmajer, K. 1979b: Channelling and orientation of Rugose corals in shallow-marine Lower Permian of south Spitsbergen. *Studia Geologica Polonica* 60, 45-56.
- Birkenmajer, K. 1980: Jurassic-Lower Cretaceous succession of Agardhbukta, East Spitsbergen. *Studia Geol. Polon.* 66.
- Birkenmajer, K. 1981: The geology of Svalbard, the western part of the Barents Sea, and the continental margin of Scandinavia. In Nairn, A.E.M., Churkin, M. & Stehlík, F.G. (eds.): *The ocean basins and margins, vol. 5: The Arctic Ocean*. Plenum Press, New York/London. 265-329.
- Birkenmajer, K. 1984a: Mid-Carboniferous red beds at Hornsund, south Spitsbergen: Their sedimentary environment and source area. *Studia Geologica Polonica* 80, 7-23.
- Birkenmajer, K. 1984b: Cyclic sedimentation in mixed alluvial to marginal-marine conditions: The Treskelodden Formation (?Upper Carboniferous and Lower Permian) at Hornsund, south Spitsbergen. *Studia Geologica Polonica* 80, 25-46.
- Birkenmajer, K. 1991: The Jarlsbergian unconformity (Proterozoic/Cambrian boundary) and the problem of Varangian tillites in South Spitsbergen. *Polish Polar Research* 12 (3), 269-278.
- Birkenmajer, K. & Czarniecki, S. 1960: Stratigraphy of marine Carboniferous and Permian deposits in Hornsund (Vestspitsbergen), based on brachiopods. *Bulletin of the Polish Academy of Sciences, Earth Sciences* 8 (3), 203-209.
- Birkenmajer, K. & Logan, A. 1969: On the fauna and age of the Cancrinella Limestone (Permian) at Kopernikusfjellet, Vestspitsbergen. *Norsk Polarinstittut Årbok* 1967, 28-45.
- Birkenmajer, K. & Pugaczewska, H. 1975: Jurassic and Lower Cretaceous marine fauna of SW Torell Land, West Spitsbergen. *Studia Geologica Polonica* 44, 45-92.
- Birkenmajer, K. & Turnau, E. 1962: Lower Carboniferous age of the so-called Wijde Bay Series in Hornsund, Vestspitsbergen. *Norsk Polarinstittut Årbok* 1961, 41-61.
- Birkenmajer, K. & Wierzbowski, A. 1991: New Kimmeridgian ammonite fauna from East Spitsbergen and its phyletic significance. *Polar Research* 9 (2), 169-179.
- Birkenmajer, K., Pugaczewska, H. & Wierzbowski, A. 1982: The Janusfjellet Formation (Jurassic-Lower Cretaceous) at Myklegardfjellet, east Spitsbergen. *Palaeontologica Polonica* 43, 107-140.
- Bjørke, T. 1977: Mesozoic palynology of Svalbard II. Palynomorphs from the Mesozoic sequence of Kong Karls Land. *Norsk Polarinstittut Årbok* 1976, 83-120.
- Bjørke, T. 1978: Mesozoic palynology of Svalbard III. Dinoflagellates from the Rurikfjellet Member, Janusfjellet Formation (Lower Cretaceous) of Spitsbergen. *Palynol. Nun. Extraord.* 1, 69-93.
- Bjørke, T. & Dypvik, H. 1977: Sedimentological and palynological studies of Upper Triassic - Lower Jurassic sediments in Sassenfjorden, Spitsbergen. *Norsk Polarinstittut Årbok* 1976, 131-150.
- Bjørnerud, M.G. 1990: Upper Proterozoic unconformity in northern Wedel Jarlsberg Land, southwest Spitsbergen: Lithostratigraphy and tectonic implications. *Polar Research* 8, 127-140.
- Bjørøy, M. & Vigran, J.O. 1979: Organic geochemistry of the Lower

## REFERENCES

---

- Cretaceous of Andøya and Spitsbergen. *Norwegian Sea Symposium NSS 25, 1-10*, 6figs. 8tbls.
- Böhm, J. 1903: Über die obertriadische Fauna der Bäreninsel. *Kongliga Svenska Vetenskaps Akademiens Handlingar 37* (3).
- Bottolfsen, I. 1994: En sedimentologisk og diagenetisk undersøkelse av Kapp Starostinformasjonen (øvre perm) på nordsiden av Marmjellet, Indre Isfjorden, Spitsbergen. Unpublished cand. scient. thesis, University of Tromsø. 1-150, 5 app.
- Braathen, A. & Bergh, S.G. 1995: Kinematics of Tertiary deformation in the basement-involved fold-thrust complex, western Nordenskiöld Land, Svalbard: tectonic implications based on fault-slip data analysis. *Tectonophysics 249*, 1-29.
- Buchan, S.H., Challinor, A., Harland, W.B. & Parker, J.R. 1965: The Triassic stratigraphy of Svalbard. *Norsk Polarinstitutt Skrifter 135*, 1-92.
- Buggisch, W., Hüneke, H., Joachimski, M., Lützner, H. & Thiedig, F., in press: Conodont stratigraphy of the Carboniferous and Permian strata from Brøggerhalvøya and Billefjorden Trough (Svalbard). *Geologisches Jahrbuch*, Hannover.
- Burov, Ju.P. & Murašov, L.G. 1964: Trachybasal'ty Bok-fiorda, nedifferencirovannye intruzii doleritov i permkskie otloženija jugo-zapadnogo poberež'ja Severo-Vostočnoj Zemli i slabo differencirovannye intruzii ostrova Barentsa. (Trachybasalts in Bockfjorden, undifferentiated dolerite intrusions and Permian deposits on the south-western coast of Nordaustlandet and poorly differentiated intrusions on Barentsøya.) *Unpublished report, PGO "Sevmorgeologija"*. Leningrad. 191 pp.
- Burov, Ju.P. & Zagružina, I.A. 1976: (Results of a determination of the absolute age of Cenozoic basic rocks of the northern part of the island of Spitsbergen.) In: *Geologija Sval'barda*, 139-140. NIIGA, Leningrad.
- Burov, Ju.P., Gavrilov, B.P., Klubov, B.A., Pavlov, A.V. & Ustrickij, V.I. 1965: Novye dannye o verchne-permskikh otloženijach Špicbergena. (New data on Upper Permian deposits of Spitsbergen.) In Sokolov, V.N. (ed.): *Materijaly po geologii Špicbergena*. Leningrad.
- Burov, Ju.P., Krasil'sčikov, A.A., Firsov, L.V. & Klubov, B.A. 1977: The age of Spitsbergen dolerites. *Norsk Polarinstitutt Årbok 1975*, 101-108.
- Challinor, A. 1967: The structure of Brøggerhalvøya, Spitsbergen. *Geol. Mag. 104* (4).
- Craig, R.M. 1916: Outline of the Geology of Prince Charles Foreland, Spitsbergen. *Transactions Geological Society of Edinburgh 1916*, 10, 276-288.
- Cutbill, J.L. 1968: Carboniferous and Permian stratigraphy of Ny Friesland, Spitsbergen. *Norsk Polarinstitutt Årbok 1966*, 12-24.
- Cutbill, J.L. & Challinor, A. 1965: Revision of the stratigraphical scheme for the Carboniferous and Permian rocks of Spitsbergen and Bjørnøya. *Geological Magazine 102*, 418-439.
- Cutbill, J.L., Henderson, W.G. & Wright, N.J.R. 1976: The Billefjorden Group (Early Carboniferous) of central Spitsbergen. *Norsk Polarinstitutt Skrifter 164*, 57-89.
- Cutler, M.A. 1981: *The Middle Carboniferous-Permian stratigraphy of Midtirukken Peninsula, Spitsbergen*. Unpublished M.S. thesis, University of Wisconsin-Madison. 1-100.
- Czarniecki, S. 1966: Upper Paleozoic deposits of the north-eastern coast of Hornsund (Vestspitsbergen). *Bulletin Polish Academy of Sciences, Series Geological and Geographical Sciences 14*, 1.
- Czarniecki, S. 1969: Sedimentary environment and stratigraphical position of the Treskelodden beds (west Spitsbergen). *Prace Muz. Ziemi 16*, 201-236.
- Dagys, A. & Weitschat, W. 1993: Correlation of the Boreal Triassic. *Mitteilungen Geologisch-Paläontologisches Institut Universität Hamburg 75*, 249-256.
- Dagys, A., Weitschat, W., Konstantinov, A. & Sobolev, E. 1993: Evolution of the boreal marine biota and biostratigraphy at the Middle/Upper Triassic boundary *Mitteilungen, Geologisch-Paläontologisches Institut der Universität Hamburg 75*, 193-209.
- Dallmann, W.K. 1989: The nature of the Precambrian-Tertiary boundary at Renardodden, Bellsund, Svalbard. Research Note. *Polar Research 7* (2), 139-145.
- Dallmann, W.K. 1992: Multiphase tectonic evolution of the Sørkapp-Hornsund mobile zone (Devonian, Carboniferous, Tertiary), Svalbard. In Dallmann, W.K., Andresen, A. & Krill, A. (eds.): Post-Caledonian tectonic evolution of Svalbard. *Norsk Geologisk Tidsskrift 72* (1), 49-66.
- Dallmann, W.K. 1993: Notes on the stratigraphy, extent and tectonic implications of the Minkinfjellet Basin, Middle Carboniferous of central Spitsbergen. Research Note. *Polar Research 12* (2), 153-160.
- Dallmann, W.D. & Krasil'sčikov, A.A. (eds.) 1996: Geological map of Svalbard 1:50,000, sheet D20G Bjørnøya. *Norsk Polarinstitutt Temakart No. 27*. (Description i prep.)
- Dallmann, W.K. & Maher, H.D. 1989: The Supanberget area - basement imbrication and detached foreland thrusting in the Tertiary fold-and-thrust belt, Svalbard. *Polar Research 7* (2), 95-108.
- Dallmann, W.K. & Mørk, A. (eds.) 1991: Stratigraphical dictionary of Svalbard. Translation from the Russian title: *Stratigrafičeskij slovar' Špicbergena* (Gramberg, I.S., Krasil'sčikov, A.A. & Semevskij, D.V., eds., 1990). *Norsk Polarinstitutt Rapportserie 74*. 1-189.
- Dallmann, W.K., Birkenmajer, K., Hjelle, A., Mørk, A., Ohta, Y., Salvigsen, O. & Andresen, A., 1993: Description of Geological map of Svalbard 1:100,000, sheet C13G Sørkapp. *Norsk Polarinstitutt Temakart No. 17*.
- Dallmann, W.K., Birkenmajer, K., Nagy, J. & Winsnes, T.: 1994: Geological map of Svalbard 1:100,000, sheets C11G and C12G. Description by Dallmann, W.K., Nagy, J. & Salvigsen, O. *Norsk Polarinstitutt Temakart No. 22/23*.
- Dallmann, W.K., Hjelle, A., Ohta, Y., Salvigsen, O., Maher, H.D., Bjørnerud, M., Hauser, E.C. & Craddock, C. 1990: Geological map of Svalbard 1:100,000, B11G Van Keulenfjorden. With description. *Norsk Polarinstitutt Temakart No. 15*.
- Dineley, D.L. 1958: A review of the Carboniferous and Permian rocks of the west coast of Vestspitsbergen. *Norsk geologisk Tidsskrift 38* (2), 197-217.
- Dons, C.E. 1983: *Fasies og paleostremanalyse av Nordenskiöldbreen Formasjonen (overkarbon-underperm), sentrale Spitsbergen*. Unpublished cand. real. thesis, University of Oslo, 1-335.
- Dore, A.G. & Gage, M.S. 1987: Crustal alignments and sedimentary domains in the evolution of the North Sea, North-east Atlantic margin and Barents shelf. In: Brooks, J. & Glennie, K. (eds.), *Petroleum Geology of North West Europe*, Graham & Trotman, 1131-1148.
- Doyle, P., Kelly, S.R.A. 1988: The Jurassic and Cretaceous belemnites of Kong Karls Land, Svalbard. *Norsk Polarinstitutt Skrifter 189*, 77 pp.
- Dypvik, H. 1980: The sedimentology of the Janusfjellet Formation, Central Spitsbergen (Sassenfjorden and Agardhfjellet areas). *Norsk Polarinstitutt Skrifter 172*, 97-134.
- Dypvik, H. 1985: Jurassic and Cretaceous black shales of the Janusfjellet Formations, Svalbard, Norway. *Sedimentary Geology 41*, 235-248.
- Dypvik, H., Hvoslef, S., Bjørke, T. & Finnerud, E. 1985: The Wilhelmøya Formation (Upper Triassic-Lower Jurassic) at Bohemanflya, Spitsbergen. *Polar Research 3* (2), 155-165.
- Dypvik, H., Nagy, J., Eikeland, T.A., Backer-Owe, K., Andresen, A., Haremo, P., Bjørke, T., Johansen, H. & Elverhøi, A. 1991: The Janusfjellet Subgroup (Bathonian to Hauterivian) on central Spitsbergen: a revised lithostratigraphy. *Polar Research 9*, 21-43.
- Edwards, M.B. 1976: Depositional environments in Lower Cretaceous regressive sediments. Kikutodden, Sørkapp Land, Svalbard. *Norsk Polarinstitutt Årbok 1974*, 35-50.
- Edwards, M.B., Bjørke, T., Nagy, J., Winsnes, T.S. & Worsley, D. 1979: Mesozoic stratigraphy of Eastern Svalbard: A discussion. *Geological Magazine 116* (1), 49-54.
- Egorov, A.Yu. & Mørk, A. in press: The East Siberian and Svalbard Triassic successions and their sequence stratigraphical relationships *Proceedings of the "Epicontinental Triassic International Symposium, Halle 1998"*. Springer Verlag.
- Eršova, E.S. 1983: *Ob'jasnitel'naja zapiska k biostratigrafičeskoj scheme jurskich i nižnemelovich otloženij archipelaga Špicbergen. (Explanatory note to the biostratigraphic scheme of Jurassic and Early Cretaceous of Spitsbergen.)* 1-88. PGO "Sevmorgeologija", Leningrad.
- Evdokimova, N.K., Vorochovskaja, A.M. & Birjukov, A.S. 1986: Stroenie i sostav nižnekarbonovoju uglenosnoju formacii ostrova Zapadnyj Špicbergen. (Structures and composition of the Lower Carbonifer-

- ous coal-bearing sequence of West Spitsbergen.) In *Geologija osadočnogo čechla archipelaga Špicbergen*, PGO "Sevmorgeologija", Leningrad. 20-33.
- Fairchild, I.J. 1982: The Orustdalen Formation of Brøggerhalvøya, Svalbard: A fan delta complex of Dinantian/Namurian age. *Polar Research* 1, 17.
- Falcon, N.L. 1928: Geology. In: The Cambridge Expedition Edge Island. *Geographical Journal* 72, 134-139.
- Feden, R.H., Vogt, P.R., Fleming, H.S. 1979: Magnetic and bathymetric evidence for the "yermak" hot spot northwest of Svalbard. *Earth and Planetary Science Letters* 44, 18-38.
- Fedorowski, J. 1964: On late Paleozoic rugosa from Hornsund, Vestspitsbergen (preliminary communication). *Studia Geologica Polonica* 11, 139-146.
- Fedorowski, J. 1965: Lower Permian Tetracoralla of Hornsund, Vestspitsbergen. *Studia Geologica Polonica* 17, 1-173.
- Fedorowski, J. 1967: The Lower Permian Tetracoralla and Tabulata from Treskelodden, Vestspitsbergen. *Norsk Polarinstitutt Skrifter* 142, 1-61.
- Fedorowski, J. 1982: Coral thanatocoenoses and depositional environment in the upper Treskelodden beds of the Hornsund area, Spitsbergen. *Palaeontologica Polonica* 43, 17-68.
- Feyling-Hanssen, R.W. & Ulleberg, K. 1984: A Tertiary-Quaternary section at Sarsbukta, Spitsbergen, Svalbard, and its foraminifera. *Polar Research* 2, 77-106.
- Flood, B., Gee, D., Hjelle, A., Siggerud, T. & Winsnes, T. 1969: The geology of Nordaustlandet, northern and central parts. *Norsk Polarinstitutt Skrifter* 146, 1-140.
- Flood, B., Nagy, J. & Winsnes, T.S. 1971: Geological map of Svalbard 1:500,000, sheet 1G Spitsbergen southern part. *Norsk Polarinstitutt Skrifter* 154 A. (with short description)
- Forbes, C.L. 1960: Carboniferous and Permian fusulinidae from Spitsbergen. *Paleontology* 2, 210-225.
- Forbes, C.L., Harland, W.B. & Hughes, N.F. 1958: Paleontological evidence for the age of the Carboniferous and Permian rocks of central Vestspitsbergen. *Geological Magazine* 95, 463-490.
- Frebold, H. 1928: Stratigraphie und Paläogeographie des Jura und der Kreide Spitzbergens. *Zentralblatt für Mineralogie, Geologie und Paläontologie, Jahrg 1928, Abt. b*, 12, 625-629.
- Frebold, H. 1929: Oberer Lias und unteres Callovien in Spitzbergen. *Skrifter om Svalbard og Ishavet* 20, 1-24.
- Frebold, H. 1930: Verbreitung und Ausbildung des Mesozoikums in Spitzbergen. *Skrifter om Svalbard og Ishavet* 31, 1-126.
- Frebold, H. 1931: Fazielle Verhältnisse des Mesozoikums im Eisfjorden-Gebiet Spitzbergens. *Skrifter om Svalbard og Ishavet* 37, 1-94.
- Frebold, H. 1936: Zur Stratigraphie des oberen Jungpaläozoikums und der älteren Eotrias Spitzbergens. Stuttgart.
- Frech, F. 1903: Lethaea geognostica. II. Das Mesozoikum. Trias, 2. Abteilung. In Noetling, *Die Asiatische Trias*. Stuttgart.
- Fredriksen, K.R. 1988: Sedimentologiske og diagenetiske undersøkelser av Kapp Starostinformasjonen på Akseløya og Mariaholmen, Svalbard. Unpublished cand. scient. thesis, University of Tromsø. 1-303.
- Gabrielsen, R.H., Færseth, R.B., Jensen, L.N., Kalheim, J.E. & Riis, F. 1990: Structural elements of the Norwegian continental shelf. Part I: The Barents Sea Region. *NPD-Bulletin* No. 6. 33 pp, 16 plates.
- Gabrielsen, R.H., Kløvjan, O.S., Haugsbø, H., Midbøe, P., Nottvedt, A., Rasmussen, E. & Skott, P.H. 1992: The structural outline of Forlandssundet Graben, Prins Karls Forland, Svalbard. In Dallmann, W.K., Andresen, A. & Krill, A. (eds.): Post-Caledonian tectonic evolution of Svalbard. *Norsk Geologisk Tidsskrift* 72(1).
- Gee, D.G. 1972: Late Caledonian (Haakonian) movements in northern Spitsbergen. *Norsk Polarinstitutt Årbok* 1970, 92-101.
- Gee, E.R., Harland, W.B. & McWhae, J.R.H. 1952: Geology of central Vestspitsbergen. Part I: Review of the geology of Spitsbergen with special reference to central Vestspitsbergen. *Transactions Royal Society of Edinburgh* 52 (9), 299-356.
- Gee, D.G., Björklund, L. & Stolen, L.K. 1994: Early Proterozoic basement in Ny Friesland - implications for the Caledonian tectonics of Svalbard. *Tectonophysics* 231, 171-182.
- Gjelberg, J.G. 1978: Facies analysis of the coal-bearing Vesalstranda Member (upper Devonian) of Bjørnøya. *Norsk Polarinstitutt Årbok* 1977, 71-100.
- Gjelberg, J.G. 1981: Upper Devonian (Famennian) - Middle Carboniferous succession of Bjørnøya. A study of ancient alluvial and coastal marine sedimentation. *Norsk Polarinstitutt Skrifter* 174, 1-67.
- Gjelberg, J.G. 1984: Early-Middle Carboniferous sedimentation on Svalbard. A study of ancient alluvial and coastal marine sedimentation in rift- and strike-slip basins. Unpublished Dr. scient. thesis, University of Bergen. 1-306.
- Gjelberg, J.G. 1987: Early Carboniferous graben style and sedimentation response, Svalbard. *Geological Journal Special Issues* 12, European Dinantian Environments, 93-113.
- Gjelberg, J.G. & Steel, R.J. 1981: An outline of Lower-Middle Carboniferous sedimentation on Svalbard: effects of climatic, tectonic and sea level changes in rift basin sequences. In Kerr, J.W. & Ferguson, A.J.: Geology of the North Atlantic Borderlands. *Canadian Society of Petroleum Geologists Memoir* 7. 543-561.
- Gjelberg, J. & Steel, R.J. 1983: Middle Carboniferous marine transgression, Bjørnøya, Svalbard: facies sequence from an interplay of sea level changes and tectonics. *Geological Journal* 18, 1-19.
- Gjelberg, J. & Steel, R., 1995. Helvetiafjellet Formation (Barremian-Aptian), Spitsbergen: characteristics of transgressive succession. In: R.J. Steel, V.L. Felt, E.P. Johannessen and C. Mathieu (eds.), *Sequence Stratigraphy on the Northwest European Margin. NPF Special Publication No. 5*, Elsevier, 571-593.
- Gjelsvik, T. 1963: Remarks on the structure and composition of the Sverrefjellet volcano, Bockfjorden, Vestspitsbergen. *Norsk Polarinstitutt Årbok* 1962, 50-54.
- Gobbett, D.J. 1963: Carboniferous and Permian brachiopods of Svalbard. *Norsk Polarinstitutt Skrifter* 127, 1-201.
- Gramberg, I.S., Krasil'sčikov, A.A. & Semevskij, D.V. (eds.) 1990: *Stratigrafičeskij slovar' Špicbergena* (Stratigraphical dictionary of Svalbard). Nedra, Leningrad. 1-203.
- Gregory, J.W. 1921: Note on the sequence across central Spitsbergen from Advent Bay to Agardhs Bay. *Geological Magazine* 58, 295-296.
- Grøsfjeld, K. 1992: Palynological age constraints on the base of the Helvetiafjellet Formation (Barremian) on Spitsbergen. *Polar Research* 11 (1), 11-19.
- Haczewski, G. 1984: Lower Carboniferous alluvial sandy deposits (Hornsundneset Formation) of South Spitsbergen. *Studia Geologica Polonica* 80, 91-98.
- Hagerman, T.H. 1925: Stratigraphic and structural investigations within south-western Spitsbergen - Results of the Swedish expedition to Spitsbergen in 1924. II. *Geografiska Annaler Stockholm* 3-4, 195-221.
- Håkansson, E. & Stemmerik, L. 1984: Wandel Sea Basin - The North Greenland equivalent to Svalbard and the Barents Shelf. In Spencer, A.M. et al. (eds.), *Petroleum geology of the North European margin*, 97-107. Graham & Trotman / Norwegian Petroleum Society.
- Håkansson, E., Heinberg, C. & Stemmerik, L. 1991: Mesozoic and Cenozoic history of the Wandel Sea Basin area, North Greenland. Pp.153-164 in Peel, J.S. & Sønderholm, M. (eds.), *Sedimentary basins of North Greenland*, *Grønlands Geologiske Undersøgelse Bulletin* 160.
- Halvorsen, E. 1972: A paleomagnetic study of two volcanic formations from northern Spitsbergen. *Norsk Polarinstitutt Årbok* 1970, 70-75.
- Haq, B.U. & Eysinga, W.B. van 1987: *Geological Time Scale*. Fourth revised, enlarged edition. Elsevier Science Publishers B.V.
- Haremo, P. & Andresen, A. 1992: Tertiary décollement thrusting and inversion along Billefjorden and Lomfjorden Fault Zones, east central Spitsbergen. In: Larsen, R.M. (ed.): Proceedings of the Conference on structural and tectonic modelling and its application to petroleum geology. Stavanger, 18-20 October, 1989. *Norwegian Petroleum Society Special Publication* 1, Elsevier, Amsterdam. 481-494.
- Haremo, P., Andresen, A. & Dypvik, H. 1993: Mesozoic extension versus Tertiary compression along the Billefjorden Fault Zone south of Isfjorden, central Spitsbergen. *Geological Magazine* 130 (6), 783-795.
- Haremo, P., Andresen, A., Dypvik, H., Nagy, J., Elverhøi, A., Eikeland, T.A. & Johansen, H. 1990: Structural development along the Billefjorden Fault Zone in the area between Kjellstrømdalen and Adventdalen/Sassendalen, central Spitsbergen. *Polar Research* 8, 195-216.

## REFERENCES

- Harland, B.W. 1969: Contribution of Spitsbergen to understanding of the tectonic evolution of the North Atlantic region. Pp. 817-851 in Kay, M. (ed.): North Atlantic - geology and continental drift. *American Association of Petroleum Geologists Memoir 12*.
- Harland, W.B. 1971: Tectonic transgression in Caledonian Spitsbergen. *Geological Magazine 108*, 27-42.
- Harland, W.B. & Horsfield, W.T. 1974: West Spitsbergen orogen. Pp. 747-755 in Spencer, A.M. (ed.): Mesozoic-Cenozoic Orogenic Belts; Data for Orogenic Studies. *Geological Society of London Special Publication 4*. 747-755.
- Harland, W.B. & Wilson, C. 1956: The Hecla Hoek succession in Ny Friesland, Spitsbergen. *Geol. Mag. 93 (4)*, 265-289.
- Harland, W.B., Wallis, R. & Gayer, R. 1966: A revision of the Lower Hecla Hoek succession in central north Spitsbergen and correlation elsewhere. *Geological Magazine 103 (1)*, 70-97.
- Harland, W.B., Cutbill, J.L., Friend, P.F., Goblett, D.J., Holliday, D.W., Maton, P.I., Parker, J.R. & Wallis, R.H. 1974: The Billefjorden Fault Zone, Spitsbergen - the long history of a major tectonic lineament. *Norsk Polarinstitutt Skrifter 161*, 1-72.
- Harland, W.B., Horsfield, W.T., Manby, G.M. & Morris, A.P. 1979: An outline of pre-Carboniferous stratigraphy of central western Spitsbergen. *Norsk Polarinstitutt Skrifter 167*, 119-144.
- Harland, W.B., Armstrong, R.L., Cox, A.V., Craig, L.V., Smith, A.G., Smith, D.G. 1989: *A geological Time Scale*, 263 pp. Cambridge University Press, Cambridge.
- Hauser, E.C. 1982: Tectonic evolution of a segment of the West Spitsbergen fold belt in northern Wedel Jarlsberg Land. Unpublished Ph.D. thesis, University of Wisconsin-Madison, 1-188.
- Head, M.J. 1984: A palynological investigation of Tertiary strata at Renaerdoden, West Spitsbergen. *6th International Palynological Conference, Abstracts*, 61.
- Hedberg, H.D. (ed.) 1976: *International stratigraphic guide: A guide to stratigraphic classification, terminology and procedure*. ISSC (International Subcommission on Stratigraphic Classification of IUGS Commission on Stratigraphy, John Wiley & Sons, New York. 200 pp.)
- Heer, O. 1868: Die fossile Flora der Polarländer, etc. Pp. 155-161 in vol. V: *Miozäne Flora von Spitzbergen*. Zürich.
- Heer, O. 1870: Die Miozäne Flora und Fauna Spitzbergens. *Kongelige Svenska Vetenskaps Akademiens Handlingar 8*, 7. Stockholm.
- Helle, T. 1980: *En sedimentologisk og diagenetisk undersøkelse av utvalgte profiler fra Tempelfjordgruppen (perm) i Isfjordområdet, Spitsbergen*. Unpublished cand. real. thesis, University of Oslo. 1-214.
- Henriksen, L.B. 1988: *En sedimentologisk og diagenetisk undersøkelse av Kapp Starostinformasjonen på Akseløya og Mariaholmen, Svalbard*. Unpublished cand. scient. thesis, University of Tromsø.
- Hochuli, P.A., Colin, J.P. & Vigran, J.O. 1989: Triassic biostratigraphy of the Barents Sea area. Pp. 131-153 in Collinson, J.D. (ed.), *Correlation in Hydrocarbon Exploration*, Norwegian Petroleum Society, Graham & Trotman.
- Hoel, A. 1912: Rapport ... sur ses travaux au cours de l'expédition Isachsen au Spitsbergen en 1909-1910. Pp. 81-85 & 93-94 in Isachsen, G.: Rapport sur l'expédition Isachsen au Spitsberg, 1909-1910. *Videnskaps Selskapets Skrifter I. Math.-Nat. X No. 15*. Kristiania.
- Hoel, A. 1914: Nouvelles observations sur le district volcanique du Spitsberg du nord. *Videnskaps Selskapets Skrifter 1, Matematisk-Naturvitenskapelig Klasse No. 9*. Kristiania.
- Hoel, A. 1925: The coal deposits and coal mining of Svalbard (Spitsbergen and Bear Island). *Resultater norske statsunderstøttede Spitsbergenekspedisjoner 6*. 1-92.
- Hoel, A. & Holtedahl, O. 1911: Les nappes de lave, les volcans et les sources thermales dans les environs de la Baie Wood au Spitsberg. *Videnskaps Selskapets Skrifter 1, Matematisk-Naturvitenskapelig Klasse No. 9*. Kristiania.
- Hoel, A. & Orvin, A.K. 1937: Das Festungsprofil auf Spitzbergen. Karbon-Kreide. I: Vermessungsresultate. *Skrifter om Svalbard og Ishavet 18*, 1-59.
- Holland, M.F.W. 1961: The geology of certain parts of Eastern Spitsbergen. *Norsk Polarinstitutt Skrifter 122*, 1-45, 3 maps.
- Holliday, D.W. & Cutbill, J.L. 1972: The Ebbadalen Formation (Carboniferous), Spitsbergen. *Proceedings Yorkshire Geological Society 39*, 1-32, 3 plates.
- Holtedahl, O. 1911: Zur Kenntnis der Karbonablagerungen des westlichen Spitzbergens. I: Eine Fauna der Moskauer Stufe. *Skrifter Vitenskapssekskapet i Kristiania, 1911, no. 10*, 1-46.
- Holtedahl, O. 1913: Zur Kenntnis der Karbonablagerungen des westlichen Spitzbergens. II: Allgemeine stratigraphische und tektonische Beobachtungen. *Videnskapssekskapets Skrifter Matematisk-Naturvitenskapelig Klasse, 1912, 23*. Kristiania. 1-91.
- Holtedahl, O. 1920: On the Paleozoic series of Bear Island, especially of the Hecla Hoek system. *Norsk geologisk Tidsskrift 5*, 121-148.
- Horn, G. & Orvin, A.K. 1928: Geology of Bear Island. *Skrifter om Svalbard og Ishavet 15*, 1-152.
- Johannessen, E.P. 1980: *Fasies analyse av Ebbadalen formasjonen (mellomkarbon), Billefjorden trau, Spitsbergen: studier av alluviale og kystsedimenter i et forkastningsbasseng*. Unpublished cand. real. thesis, University of Bergen. 1-314.
- Johannessen, E.P. and Embry, A.F. 1989: Sequence correlation: Upper Triassic to Lower Jurassic succession, Canadian and Norwegian Arctic. In Collinson, J.D. (ed): Correlation in Hydrocarbon Exploration, Graham & Trotman, London, 155-170.
- Johannessen, E.P. & Steel, R.J. 1992: Mid-Carboniferous extension and rift-infill sequences in the Billefjorden Trough, Svalbard. In Dallmann, W.K., Andresen, A. & Krill, A. (eds.): Post-Caledonian tectonic evolution of Svalbard. *Norsk Geologisk Tidsskrift 72 (1)*, 35-48.
- Johannessen, E.P., Steel, R. & Kleinspehn, K. 1984: *Statoil's Svalbardekspedisjon 1982, Spitsbergen, Sedimentær fasies analyse av Midtre Karbon (Røde lag)*. Unpublished report, Statoil.
- Johansen, T. 1994: *Sedimentology and diagenesis of Tyrrellfjellet Member, Bünsow Land, Central Spitsbergen*. Unpublished cand. scient. thesis, University of Tromsø. 1-230, 2 app.
- Kaiser, H. 1970: Die Oberdevon-Flora der Bäreninsel 3. Mikroflora des höheren Oberdevons und des Unterkarbons. *Palaeontographica Abt. B 129*, 71-124.
- Kaiser, H. 1971: Die Oberdevon-Flora der Bäreninsel 4. Mikroflora der Misery-Serie und der flözleeren Sandstein-Serie. *Palaeontographica Abt. B 135*, 127-164.
- Kalgraft, K. 1978: *Aspects of sedimentation in Firkanten Formation, Tertiary, Svalbard*. Unpublished cand. real. thesis, University of Bergen. 1-178.
- Karczewski, L. 1982: Some gastropods and bivalves from the Treskelodden and Kapp Starostin formations, Hornsund region, Spitsbergen. *Palaeontologica Polonica 43*, 83-96.
- Keilen, H.B. 1992: Lower Permian sedimentary sequences in Central Spitsbergen, Svalbard. Pp. 127-134 in Nakamura, K. (ed.) 1992: Investigations on the Upper Carboniferous - Upper Permian Succession of West Spitsbergen 1989-1991. *Japanese-Norwegian Research Group, Hokkaido University, Sapporo*.
- Kirkemo, K. 1979: *En sedimentologisk undersøkelse i Kapp Kåre formasjonen (Moscov), Bjørnøya*. Unpublished cand. real. thesis, University of Oslo.
- Kleinspehn, K.L. & Teyssier, C. 1992: Tectonics of the Pelaeogene Forlandsundet Basin, Spitsbergen: A preliminary report. In Dallmann, W.K., Andresen, A. & Krill, A. (eds.): Post-Caledonian tectonic evolution of Svalbard. *Norsk Geologisk Tidsskrift 72(1)*.
- Klubov, B.A. 1965: On the occurrence of Permian rocks on Barentsøya. *Dokl. Akad. Nauk SSSR. 162*, 629-631 (in Russian).
- Knag, G. 1980: *Gipshuk- og Kapp Starostinformasjonen, mellom til øvre perm, langs vestkysten av Svalbard*. Unpublished cand. real. thesis, University of Bergen. 1-210.
- Knarud, R. 1980: *En sedimentologisk og diagenetisk undersøkelse av Kapp Toscana Formasjonens sedimenter på Svalbard*. Cand. Real. Thesis, University of Oslo, 208 pp.
- Kopik, J. & Wierzbowski, A. 1988: Ammonites and stratigraphy of the Bathonian and Callovian at Janusfjellet and Wimanfjellet, Sassenfjorden, Spitsbergen. *Palaeontologica 33 (2)*, 145-168.
- Korčinskaja, M.V. 1975: Biostratigrafija i fauna triasowych otloženij Sval'barda. (Triassic biostratigraphy and fauna of Svalbard.) PGO "Sevmorgeologija", Leningrad.
- Korčinskaja, M.V. 1980: Rannenorjiskaja fauna archipelaga Sval'bard. (Early Norian fauna of the archipelago of Svalbard.) Pp. 30-43 in Semevskij, D.V. (ed.): *Geologija osadočnogo čechla archipelaga Sval'bard. (Geology of the sedimentary platform cover of the archi-*

- pelago of Svalbard.)* NIIGA, Leningrad.
- Korčinskaja, M.V. 1982: Ob'jasnitel'naja zapiska k stratigrafičeskoj scheme mezozoja (trias) Sval'barda (Explanatory note to the stratigraphic scheme of Mesozoic (Triassic) Svalbard). *PGO "Sevmorgeologija"*, Leningrad, 40-99.
- Korčinskaja, M.V. 1986: Biostratigrafija indskogo jarusa Špicbergena. (Induan Stratigraphy of Spitsbergen.) In: *Geologija osadočnogo čechla Špicbergena. PGO "Sevmorgeologija"*, Leningrad.
- Krajewski, K. 1992: Phosphorite-bearing succession of the Wilhelmøya Formation at Hornsund and along the western coast of Sørkapp Land, Spitsbergen. 98, 201-233.
- Krasil'sčikov, A.A. 1970: Schema stratigrafi dokembrija - nižnego paleozoja archipelaga Špicbergen. (Precambrian to Lower Paleozoic stratigraphic scheme of Spitsbergen.) *Akademii NAUK SSSR, doklady* 194 (5).
- Krasil'sčikov, A.A. 1973: Stratigrafiya i paleotektonika dokembrija - rannego paleozoja Špicbergena. (Precambrian to Early Paleozoic stratigraphy and paleotectonics of Spitsbergen.) *Tr: NIIGA, Vol. 172*, Leningrad. 1-120.
- Krasil'sčikov, A.A. & Livšic, Ju.Ja. 1974: Tektonika ostrova Medvežij. (Tectonics of Bjørnøya.) *Geotektonika*, 4, 39-51.
- Larssen, G.B., Dahlgren, S., Eliassen, P.E.Fjæringstad, V. Hanesand, T., Hansen, S., Helland-Hansen, W., Heintz, N., Høy, T., Johannessen, E.P., Nøttvedt, A., Olaussen, S., Riis, F., Rundberg, Y., Rømild, A., & Williams R.W. 1995: Kong Karls Land ekspedisjonen 1993. Sentrias til tidligkritt geologisk utvikling av Kong Karls Land, nordlige Barentshav. Bind I: 216 s, bind II: 20 vedlegg.
- Lauritzen, Ø. 1981: Investigations of Carboniferous and Permian sediments in Svalbard: II. The Carboniferous and Permian stratigraphy of the Wahlenbergfjorden area, Nordaustlandet, Svalbard. *Norsk Polarinstitutt Skrifter* 176, 23-44.
- Lehmann, U., Thiedig, F. & Harland, W.B. 1978: Spitzbergen im Tertiär. *Polarforschung* 48. Jahrgang (1/2), 120-138.
- Leith, T.L., Weiss, H.M., Mørk, A., Århus, N., Elvebakk, G., Embry, A.F., Brooks, P.W., Stewart, K.R., Pchelina, T.M., Bro, E.G., Verba, M.L., Danyushevskaya, A. & Borisov, A.V. 1993: Mesozoic hydrocarbon source-rocks of the Arctic region. In: Vorren, T.O. et al. (eds.), Arctic Geology and Petroleum Potential, *NPF Special Publication no. 2*, Elsevier Sci. Publ., 1-25.
- Liparski, I. & Ćmiel, S. 1984: The geological conditions of the occurrence of Carboniferous coal in the northwestern part of Sørkapp Land in West Spitsbergen. *Polish Polar Research* 5, 255-266.
- Liszka, S. 1964: Occurrence of Lower Permian foraminifers in the Treskelodden beds of Hornsund, Vestspitsbergen. *Studia Geologica Polonica* 11, 169-172.
- Livšic, Ju.Ja. 1965: Paleogenovye otloženija Zemli Nordenšēl'da (Zap. Špicbergen). (Paleogene deposits of Nordenšēl Land, Vestspitsbergen.) Pp. 193-215 in Sokolov, V.N. (ed.): *Materialy po geologii Špicbergena*. [English translation in Harland, W.B. et al.(ed.): *Geology of Spitsbergen*. National Lending Library of Science and Technology, Boston Spa., Yorkshire 1970.]
- Livšic, Ju.Ja. 1967: Tretičnye otloženija zapadnoj časti archipelaga Špicbergen. (Tertiary deposits in the western part of the Archipelago of Svalbard.) Pp. 185-204 in Sokolov, V.N. (ed.): *Materialy po stratigrafi Špicbergena*. NIIGA, Leningrad. (English translation, The British Library, Lending Division, 1977, p. 235-259.)
- Livšic, Ju.Ja. 1973: Paleogenovye otloženija i platformennaja struktura Špicbergen. (Paleogene deposits and platform structure of Spitsbergen.) *Tr: NIIGA, t. 174*.
- Livšic, Ju.Ja. 1974: Paleogene deposits and the platform structure of Svalbard. *Norsk Polarinstitutt Skrifter* 159, 1-50.
- Livšic, Ju.Ja. 1992: Tectonic history of Tertiary sedimentation of Svalbard. Discussion. In Dallmann, W.K., Andresen, A. & Krill, A. (eds.): Post-Caledonian tectonic evolution of Svalbard. *Norsk Geologisk Tidsskrift* 72(1).
- Ljutkevič, E.M. 1937a: Geologija tretičnih uglenosnych otloženij Špicbergena rajona Ajs-fjorda. (Geology of the Tertiary coal-bearing deposits of Spitsbergen, Isfjorden area.) *NIIGA, Trudy* 76.
- Ljutkevič, E.M. 1937b: Geologičeskij ocerk i problema uglenosnosti gory Piramidy ostrova Špicbergena. (Geological survey and problems of the coal fields of mount Pyramiden, Spitsbergen.) *Trudy Arktičeskogo Instituta Leningrad* 76, 25-38.
- Lock, B.E., Pickton, C.A.G., Smith, D.G., Batten, D.J. & Harland, W.B. 1978: The geology of Edgeøya and Barentsøya, Svalbard. *Norsk Polarinstitutt Skrifter* 168, 1-64.
- Løfaldli, M. & Nagy, J. 1980: Foraminiferal stratigraphy of Jurassic deposits on Kongsoya, Svalbard. *Norsk Polarinstitutt Skrifter* 172, 63-96.
- Løfaldli, M. & Thusu, B. 1976: Microfossils from the Janusfjellet Sub-group (Jurassic-Lower Cretaceous) at Agardhfjellet and Keilhau-fjellet, Spitsbergen. A preliminary report. *Norsk Polarinstitutt Årbok* 1975, 69-77.
- Lønøy, A. 1981: *Fasies analyse av undre permiske karbonater i Tyrrellfjellet Ledd av Nordenšēldbreen Formasjonen, Billefjord-området, Spitsbergen*. Unpublished cand. scient. thesis, University of Bergen, 1-218.
- Lønøy, A. 1988: Environmental setting and diagenesis of Lower Permian palaeoplainsic build-ups and associated sediments from Bjørnøya: Implications for the exploration of the Barents Sea. *Journal of Petroleum Geology* 11, 141-156.
- Lønøy, A. 1995: A Mid-Carboniferous, carbonate-dominated platform, central Spitsbergen. *Norsk Geologisk Tidsskrift* 75, 48-63.
- Lowell, J.D. 1968: Upper Paleozoic and Lower Mesozoic stratigraphy of southwestern Nordaustlandet, Spitsbergen. *Geological Magazine* 105 (4), 348-355.
- Lowell, J.D. 1972: Spitsbergen Tertiary orogenic belt and the Spitsbergen Fracture Zone. *Geological Society of America Bulletin* 83, 3091-3102.
- Ludwig, P. 1991: The marine transgression in the Middle Carboniferous of Brøggerhalvøya (Svalbard). *Polar Research* 9 (1), 65-76.
- Lundgren, B. 1887: Anmärkningar om permfossil från Spitsbergen. *Kongl. Svenska Vetensk. Akad. Handl. Bd. 13, Afd. 4, 1*.
- Maher, H.D. 1989: A storm-related origin for the Jurassic Brentskardhaugen Bed of Spitsbergen, Norway. *Polar Research* 7, 67-77.
- Maher, H.D. & Craddock, C. 1988: Decoupling as an alternate model for transpression during the initial opening of the Norwegian Greenland Sea. Research Note. *Polar Research* 6, 137-140.
- Maher, H.D., Craddock, H.D. & Maher, K.A. 1986: Kinematics of Tertiary structures in Upper Paleozoic and Mesozoic strata on Midter-hukken, West Spitsbergen. *Geological Society of America Bulletin* 97, 1411-1421.
- Maher, H.D., Bergh, S., Braathen, A. & Ohta, Y. et al. 1997: Svartfjella, Eidembukta and Daudmannsodden lineament: Tertiary orogen-parallel motion in the crystalline hinterland of Spitsbergen's fold-thrust belt. *Tectonics* 16 (1), 88-106.
- Major, H. & Nagy, J. 1964: Adventdalen. Geologisk kart. *Norsk Polarinstitutt*.
- Major, H. & Nagy, J. 1972: Geology of the Adventdalen map area. *Norsk Polarinstitutt Skrifter* 138, 1-58. (with map, published in 1964)
- Mangerud, G. & Konieczny, R.M. 1991: Palynological investigations of Permian rocks from Nordaustlandet, Svalbard. *Polar Research* 9 (2), 155-167.
- Manum, S.B. 1960: Some dinoflagellates and hystrichospaerids from the Lower Tertiary of Spitsbergen. *Nytt Magasin for Botanikk* 8, 17-26.
- Manum, S.B. 1962: Studies in the Tertiary flora of Spitsbergen, with notes on Tertiary floras of Ellesmere Island, Greenland and Iceland. A palynological investigation. *Norsk Polarinstitutt Skrifter* 125, 1-127.
- Manum, S.B. & Throndsen, T. 1986: Age of Tertiary formations on Spitsbergen. *Polar Research* 4, 103-131.
- McCann, A.J. & Dallmann, W.K. 1996: Multiple tectonic event history of the Billefjorden Fault Zone in north central Spitsbergen, Svalbard. *Geological Magazine* 133 (1), 63-74.
- McWhae, J.R.H. 1953: The Carboniferous breccias of Billefjorden, Vestspitsbergen. *Geological Magazine* 90, 287-298.
- Midbøe, P.S. 1985: *Kongsfjordfeltet (Paleocen) - Spitsbergen*. Unpublished cand. real. thesis, University of Bergen, 1-226.
- Miloslavskij, M.Ju., Dallmann, W.K., Dypvik, H., Krasil'sčikov, A.A., Birkeland, Ø. & Salvigsen, O. 1993: Geological map of Svalbard 1:100,000, sheet D9G Agardhfjellet. With description. *Norsk Polarinstitutt Temakart No. 21*.
- Miloslavskij, M.Ju., Birjukov, A.S., Šlēnskij, S.N., Krasil'sčikov, A.A. & Dallmann, W.K., 1998: Geological map of Svalbard 1:100,000,

## REFERENCES

---

- sheet D8G Negribreen. With description. *Norsk Polarinstitutt Temakart No. 25*.
- Mojsisovič, E. 1886: Arktische Triasfaunen. *Mem. Acad. Imp. Sci. St. Petersb.*, ser. 7, vol. 33, 6.
- Mørk, A. & Bjørøy, M. 1984: Mesozoic source rocks on Svalbard. Pp. 371-382 in Spencer, A.M. et al. (eds.): *Petroleum geology of the north European margin*. Norwegian Petroleum Society, Graham & Trotman, London.
- Mørk, A. & Elvebakk, G. 1999: Lithological description of subcropping Lower and Middle Triassic rocks from the Svalis Dome, Barents Sea. *Polar Research* 18 (1), 83-104.
- Mørk, A., Embry, A.F. & Weitschat, W. 1989: Triassic transgressive-regressive cycles in the Sverdrup Basin, Svalbard and the Barents Shelf. Pp. 113-130 in: *Corelation in hydrocarbon exploration*. Norwegian Petroleum Society, Graham & Trotman, London.
- Mørk, A., Knarud, R. & Worsley, D. 1982: Depositional and diagenetic environments of the Triassic and Lower Jurassic succession of Svalbard. In: Embry, A.F. & Balkwill, H.R. (eds.), *Arctic Geology and Geophysics*, *Canadian Society of Petroleum Geologists Memoir* 8, 371-398.
- Mørk, A., Vigran, J.O. & Hochuli, P.A. 1990: Geology and palynology of the Triassic succession of Bjørnøya. *Polar Research* 8 (2), 141-163.
- Mørk, A., Vigran, J.O., Korčinskaja, M.V., Pčelina, T.M., Fefilova, L.A., Vavilov, M.N. & Weitschat, W. 1993 (reprints dated 1992): Triassic rocks in Svalbard, the Arctic Soviet Islands and the Barents Shelf: bearing on their correlations. Pp. 455-477 in: Vorren, T.O. et al.: *Arctic Geology and Petroleum Potential*. Norwegian Petroleum Society Special Publication 2, Elsevier, Amsterdam.
- Mørk, A., Elvebakk, G., Forsberg, A.W., Hounslow, M.W., Nakrem, H.A., Vigran, J.O. & Weitschat, W. 1999: The type section of the Vikinghøgda Formation - a new Lower Triassic unit in Central and Eastern Svalbard. *Polar Research* 18 (1), 51-82.
- Murašov, L.G. & Mokin, Ju.I. 1976: Stratigrafičeskoe rasčelenie devonskich otloženij o. Špicbergen. (Stratigraphic subdivision of Devonian deposits of the island of Spitsbergen.) Pp. 78-91 in Sokolov, V.N. (ed.): *Geologija Sval'barda*. NIIGA, Leningrad.
- Muroska, J.E. 1981: *Tabular diabase intrusives on Midterhuken peninsula, Spitsbergen*. Unpublished M.S. thesis, University of Wisconsin-Madison. 1-116.
- Nagy, J. 1970: Ammonite faunas and stratigraphy of Lower Cretaceous (Albian) rocks in southern Spitsbergen. *Norsk Polarinstitutt Skrifter* 152, 1-58.
- Nagy, J., Løfaldli, M. & Bäckström, S.A. 1988: Aspects of foraminiferal distribution and depositional conditions in Middle Jurassic to Early Cretaceous shales in Eastern Spitsbergen. *Abhandlungen der Geologischen Bundesanstalt Wien* 30, 287-300.
- Nagy, J., Løfaldli, M., Bäckström, S. & Johansen, H. 1990: Agglutinated foraminiferal stratigraphy of Middle Jurassic to basal Cretaceous shales, central Spitsbergen. Pp. 969-1015 in Hemleben, C. et al. (eds.): *Paleoecology, biostratigraphy, paleoceanography and taxonomy of agglutinated foraminifera*. Kluwer Academic Publishers, Netherlands.
- Nakamura, K., Kimura, G. & Winsnes, T.S. 1987: Brachiopod zonation and age of the Permian Kapp Starostin Formation (Central Spitsbergen). *Polar Research* 5, 207-219.
- Nakrem, H.A. 1988: Permian bryozoans from southern Spitsbergen and Bjørnøya. A review of bryozoans described by J. Malecki (1968, 1977). *Polar Research* 6, 113-121.
- Nakrem, H.A. 1991: Conodonts from the Permian succession of Bjørnøya (Svalbard). *Norsk geologisk Tidsskrift* 71 (4), 235-248.
- Nakrem, H.A. 1993: *Upper Palaeozoic - lower Triassic bryozoa from Svalbard: Taxonomy, stratigraphy and palaeoenvironments*. Unpublished Dr. scient. thesis, University of Oslo.
- Nakrem, H.A. & Mørk, A. 1991: New Early Triassic bryozoa (Terepostomata) from Spitsbergen, with some remarks on the stratigraphy of the investigated horizons. *Geological Magazine* 128 (2), 129-140.
- Nakrem, H.A., Nilsson, I. & Mangerud, G. 1992: Permian biostratigraphy of Svalbard (Arctic Norway) - A review. *International Geology Review* 34, No. 9, 933-959.
- Nathorst, A.G. 1897: Zur mesozoischen Flora Spitzbergens. *Kongl. Svenska Vitensk. Alad. Handl. Bd. 30 (1)*, 1-77.
- Nathorst, A.G. 1910: Beiträge zur Geologie der Bäreninsel, Spitzbergen und des König-Karl-Landes. *Bulletin Geologiska Institutionen Universitetet i Uppsala* 10 (1910-1911), 261-416.
- Nilsson, I. 1988: Carboniferous - Permian fusulinids on the Nordfjorden Block, Spitsbergen (Svalbard). Unpublished cand. scient. thesis, University of Oslo, 1-106.
- Nilsson, I. 1993: Upper Paleozoic fusulinid stratigraphy of the Barents Shelf and surrounding areas. Unpublished Dr. scient. thesis, University of Tromsø. 9 papers.
- Nilsson, I. 1994: Review of fusulinids from Bjørnøya, a discussion. Unpublished IKU Report No. 23.1438.00/24/94.
- Nilsson, I. & Davydov, V.I. 1992: Middle Carboniferous-Lower Permian fusulinid stratigraphy in central Spitsbergen, Arctic Norway. IKU Report 23.1356.00/07/92, 175 pp.
- Nordenskiöld, A. 1863: Geografisk och geognostisk beskrifning öfver nordöstra delarna af Spetsbergen och Hinlopen Strait. *Kongl. Svenska Vetensk. Akad. Handl.* 4 (7).
- Nordenskiöld, A.E. 1871: Bergkalkformation auf der Bäreninsel und Spitzbergen. Appendix in Heer, O.: Fossile Flora der Bäreninsel. *Kongl. Svenska Vetensk. Akad. Handl.* 9 (5).
- Nordenskiöld, A.E. 1875: Utkast till Isfjordens och Belsounds geologi. *Geologiska Föreningens i Stockholm Förflyttningar Bd. 2 (8)*, 243-260, 301-322, 356-373.
- Norges Svalbard- og Ishavsundersøkelser 1942: The place-names of Svalbard. *Skrifter om Svalbard og Ishavet* 80.
- Norsk Polarinstitutt 1991: The place-names of Svalbard. *Norsk Polarinstitutt Skrifter* 80 and 112 (reprint from Norges Svalbard- og Ishavsundersøkelser 1942, and Orvin 1958).
- Nottvedt, A. 1982: *Characteristics and evolution of the Askeladden Delta Sequence (Paleocene) on Spitsbergen - with comparison to the Ravenscar Group Deltaic sequence of Northeast England*. Unpublished Dr. scient. thesis, University of Bergen, 1-181.
- Nottvedt, A. 1985: Askeladden Delta Sequence (Paleocene) on Spitsbergen - sedimentation and controls on delta formation. *Polar Research* 3, 21-48.
- Nottvedt, A., Berglund, L.T., Rasmussen, E. & Steel, R.J. 1988: Some aspects of Tertiary tectonics and sedimentation along the western Barents Shelf. *Geological Society of America, Special Publication* 39, 421-425.
- Nottvedt, A., Cecchi, M., Gjelberg, J.G., Kristensen, S.E., Lønøy, A., Rasmussen, A., Rasmussen, E., Skott, P.H. & Veen, P.M. van 1992: Svalbard-Barents Sea correlation: a short review. Pp. 363-375 in Vorren, T.O. et al. (eds.) *Arctic Geology and Petroleum Potential*, Norwegian Petroleum Society Special Publication No. 2, Elsevier Sci.Publ.
- Nowiński, A. 1982: Some new species of Tabulata from the Lower Permian of Hornsund, Spitsbergen. *Palaeontologia Polonica* 43, 83-96.
- Nysæther, E. 1977: Investigations in the Carboniferous and Permian stratigraphy of the Torell Land area, Spitsbergen. *Norsk Polarinstitutt Årbok* 1976, 21-41.
- Nystuen, J.P. (ed.) 1986: Regler og råd for navnsetting av geologiske enheter i Norge. Norsk Stratigrafisk Komité. *Norsk geologisk Tidsskrift* 66, Suppl. 1. 96 pp.
- Nystuen, J.P. (ed.) 1989: Rules and recommendations for naming geological units in Norway. Norwegian Committee on Stratigraphy. *Norsk geologisk Tidsskrift* 69, Suppl. 2. 11 pp.
- Ohta, Y. 1982: Hecla Hoek rocks in central and western Nordaustlandet. *Norsk Polarinstitutt Skrifter* 178, 1-60.
- Ohta, Y. 1992: Recent understanding of the Svalbard basement in the light of new radiometric age determinations. In Dallmann, W.K., Andresen, A. & Krill, A. (eds.): Post-Caledonian tectonic evolution of Svalbard. *Norsk Geologisk Tidsskrift* 72 (1), 1-5.
- Ohta, Y. 1994: Caledonian and Precambrian history of Svalbard: a review, and an implication of escape tectonics. *Tectonophysics* 231, 183-194.
- Ohta, Y. & Dallmann, W.K. (eds.) 1994: Geological map of Svalbard 1:100,000, sheet B12G Torellbreen, preliminary edition. *Norsk Polarinstitutt*.
- Ohta, Y., Dallmeyer, R.D. & Peucat, J.J. 1989: Caledonian terranes in Svalbard. *Geological Society of America Special Paper* 230, 1-15.
- Ohta, Y., Hjelle, A., Andresen, A., Dallmann, W.K. & Salvigsen, O. 1992: Geological map of Svalbard 1:100,000, sheet B9G Isfjorden.

- With description. *Norsk Polarinstitutt Temakart No. 16*.
- Olaussen, S., Dalland, A., Gloppe, T.G. & Johannessen, E. 1984a: Depositional environment and diagenesis of Jurassic reservoir sandstones in the eastern part of the Troms I area. In Spencer, A.M. et al (eds.): *Petroleum Geology of the North European Margin*, Norwegian Petroleum Society, Graham & Trotman, London. 61-79.
- Olaussen, S., Gloppe, T.G. & Knarud, R. 1984b: *Statoil's Svalbard-ekspedisjon 1982. Description and interpretation of two sedimentary sequences of the Lower/Middle Carboniferous from Nordaustlandet and Lomfjorden (Ismåsestranda and Bivrafonna)*. Unpublished report, Statoil.
- Olaussen, S., Johansen, R., Johannessen, E.P. & Knag, G.O. 1986: *Statoil's Svalbardekspedisjon 1985. Karbon (Moskva) overgangslag på Malte Brunfjellet, Ny Friesland blokka, Spitsbergen*. Unpublished report, Statoil.
- Olaussen, S., Helland-Hansen, W., Johannessen, E., Larssen, G.B., Nøttvedt, A., Riis, F., Williams, R. & Mørk, A. In prep.: Geology of the Mesozoic strata of Kong Karls Land, eastern Spitsbergen. *To be submitted to Polar Research*.
- Orvin, A. 1934: Geology of the Kings Bay region, Spitsbergen. *Skrifter om Svalbard og Ishavet* 57, 1-196.
- Orvin, A. 1940: Outline of the geological history of Spitsbergen. *Skrifter om Svalbard og Ishavet* 78 (reprint 1969; 1-57).
- Orvin 1958: The place-names of Svalbard. *Norsk Polarinstitutt Skrifter* 112.
- Osmolska, H. 1968: Two new trilobites from the Treskelodden Beds of Hornsund. *Acta Palaeontologica Polonica* 13, 605-613.
- Pagels, U. 1986: *Geologische Kartierung tertiärer Sedimente auf Prins-Karls-Forland (Svalbard). III: Reinhardpynten- und Krokdillen-Formation*. Unpublished Diplom thesis, University of Kiel, 1-56.
- Panov, A.I. et al. 1968: Geologicheskie issledovaniya v vostočnoj časti Zemli Nordenšilda (rajon K'ell'stromdalen, Dancigdalen i Agard-dalen). Očet o poiskovo-maršrutnykh strukturnykh i litologo-stratigrafičeskikh issledovanijach, provedennykh otrjadom No. 1 Špicbergenskoj ekspedicii letom 1967 g. na Zap. Špicbergen. ("Geological studies in the eastern part of Nordenšild Land (Kjellstrømdalen, Danzigdalen and Agardhdalen areas). Report of map drafting, prospecting and structural studies, carried out by party no. 1 of the Spitsbergen expedition, summer 1967, on Spitsbergen.) *Unpublished report, PGO "Sevmorgeologija"*, Leningrad.
- Parker, J.R. 1967: The Jurassic and Cretaceous sequence in Spitsbergen. *Geological Magazine* 104 (5), 487-505.
- Pavlov, A.V., Evdokimova, N.K. & Klitina, N.V. 1983: Uglenosnost' i kačestvo uglej o. Medvežij. (Coal potential and quality on Bjørneoya) Pp. 102-109 in A.A. Krasil'sčikov & V.A. Basov (eds.): *Geologija Špicbergena. PGO "Sevmorgeologija"* 1983, Leningrad.
- Pčelina, T.M. 1965: Mezozojskie otloženija rajona Van-Kejlenf'orda, Zapadnyj Špicbergen (Mesozoic deposits around Van Keulenfjorden, Western Spitsbergen). In *Materialy po geologii Špicbergena*. Leningrad 1965.
- Pčelina, T.N. 1967: Stratigrafija i nekotorye osobennosti veščestvennogo sostava mezozojskich otloženij južnykh i vostočnykh razon Zapadnogo Špicbergena. (Stratigraphy and some compositional features of the Mesozoic deposits of the southern and eastern areas of Western Spitsbergen.) Pp. 121-158 in Sokolov, V.N. (ed.): *Materialy po stratigrafií Špicbergena. (Data on the stratigraphy of Spitsbergen.)* NIIGA, Leningrad.
- Pčelina, T.M. 1972: Triassovye otloženija ostrova Medvežij. (Triassic deposits of Bjørneoya). In: *Mezozojskie otloženija Sval'barda*. NIIGA, Leningrad. 5-20.
- Pčelina, T.M. 1980: Novye dannye po pograničnym slojam triasa i jury na archipelage Sval'bard. (New evidence on the Triassic/Jurassic boundary beds on Svalbard.) Pp. 4-60 in Semevskij, D.V. (ed.): *Geologija osadočnogo čechla archipelaga Sval'bard (Geology of the sedimentary cover of Svalbard)*. NIIGA, Leningrad.
- Pčelina, T.M. 1983: Novye dannye po stratigrafií mezozoja archipelaga Špicbergen (New material on the Mesozoic stratigraphy of the Spitsbergen Archipelago). In: *Geologija Špicbergena (The Geology of Spitsbergen)*. PGO "Sevmorgeologija", Leningrad, 121-141.
- Pickard, N.A.H., Eilertsen, F., Hanken, N.-M., Johansen, T.A., Lønøy, A., Nakrem, H.A., Nilsson, I., Samuelsberg, T.G., & Somerville, I.D. 1996: Stratigraphic framework of Upper Carboniferous (Moscovian-Kasimovian) strata in Bünsow Land, central Spitsbergen: palaeogeographic implications. *Norsk Geologisk Tidsskrift* 76 (3), 169-185.
- Playford, G. 1962: Lower Carboniferous microfloras of Spitsbergen, Part 1. *Palaeontology* 5 (3), 550-618.
- Playford, G. 1963: Lower Carboniferous microfloras of Spitsbergen, Part 2. *Palaeontology* 5 (4), 619-678.
- Prestvik, T. 1978: Cenozoic plateau lavas of Spitsbergen - a geological study. *Norsk Polarinstitutt Årbok* 1977, 129-143.
- Ravn, J.P. 1922: On the mollusca of the Tertiary of Spitsbergen. Resultater Norske Spitsbergenekspedisjoner. *Skrifter om Svalbard og Ishavet* 1 (2), 1-28.
- Roberts, D. 1972: Tectonic Deformation in the Barents Sea Region of Varangerhalvøya, Finnmark. *Norges geologiske undersøkelse Bulletin* 10, 1-39.
- Rózycki, S.Z. 1959: Geology of the north-west part of Torell Land, Vestspitsbergen. *Studia Geologica Polonica* 2, 1-98.
- Rye Larsen, M. 1982: *Forlandssundet Graben (Paleocen) - Svalbards vestmarginsedimentasjon og tektoniske utvikling av et basseng ved en transform plategrense*. Unpublished cand. real. thesis, University of Bergen, 1-380.
- Saalmann, K. 1996: *Lithologie und Tektonik der nordöstlichen Brøggerhalbinsel, NW-Spitzbergen*. Unpublished Diplom thesis, University of Münster. 1-139.
- Schloemer-Jäger, A. 1958: Altertäre Pflanzen aus Flözen der Brøgger-Halbinsel Spitsbergens. *Palaeontographica B-103*, 39-103.
- Schweitzer, H.J. 1974: Die "tertiären" Koniferen Spitzbergens. *Palaeontographica B-149*, 1-89.
- Sidow, H. 1988: *Strukturelle, mikrofazielle und diagenetische Untersuchungen an Gesteinen der nördlichen Brøggerhalbinsel, NW-Spitzbergen, Svalbard*. Unpublished Diplom thesis, University of Hamburg. 1-130 + 16, 4 pl.
- Siedlecka, A. 1968: Lithology and sedimentary environment of the Hyrnfjellet Beds and the Treskelodden Beds (Late Paleozoic) at Treskelen, Hornsund, Vestspitsbergen. *Studia Geologica Polonica* 21, 53-96.
- Siedlecka, A. 1970: Investigations of Permian cherts and associated rocks in southern Spitsbergen. *Norsk Polarinstitutt Skrifter* 147, 1-70.
- Siedlecka, A. 1972a: Length-slow chalcedony and relicts of sulphates - evidences of evaporitic environments in the Upper Carboniferous and Permian beds of Bear Island, Svalbard. *Journal of Sedimentary Petrology* 42 (4), 812-816.
- Siedlecka 1972b: Kongsfjord Formation - a Late Precambrian flysch sequence from the Varanger Peninsula, Finnmark. *Norges geologiske undersøkelse Bulletin* 278, 41-80.
- Siedlecka, A. 1975: The petrology of some Carboniferous and Permian rocks from Bjørnøya. *Norsk Polarinstitutt Årbok* 1973, 53-72.
- Siedlecki, S. 1960: Culm Beds of the SW coast of Hornsund, Vestspitsbergen. (Preliminary communication). *Studia Geologica Polonica* 4, 93-102.
- Siedlecki, S. 1964: Permian succession on Tokrossøya, Sørkapplandet, Vestspitsbergen. *Studia Geologica Polonica* 11, 155-168.
- Siedlecki, S. 1970: A *Heliopriion* from the Permian of Spitsbergen. *Norsk Polarinstitutt Årbok* 1968, 36-54.
- Siedlecki, S. & Turnau, E. 1964: Palynological investigations of the Culm in the area southwest of Hornsund, Vestspitsbergen. *Studia Geologica Polonica* 11, 125-138.
- Sigmund, E.M.O. (ed.) 1992: *Berggrunnkart, Norge med havområder*. Scale 1:3 million. Norge geologiske undersøkelse.
- Simonsen, B.T. 1988: Upper Palaeozoic fusulinids of Bjørnøya. *Unpublished IKU Report 23.1252.06/02/88*. 1-90.
- Skarpnes, O. 1984: *Statoil's Svalbardekspedisjon 1982, Spitsbergen: A sedimentological profile through Upper Hecla Hoek and Lower?/Middle Carboniferous clastics and carbonates, Dittlof-toppen - Ny Friesland*. Unpublished report, Statoil.
- Skjelkvåle, B.L., Amundsen, H.E.F., O'Reilly, S., Griffin, W.L. & Gjelsvik, T. 1989: A primitive alkali basalt stratovolcano and associated eruptive centres, northwestern Spitsbergen: Volcanology and tectonic significance. *Journal of Volcanology and Geothermal Research* 37, 1-19.
- Smelror, M. 1988: Bathonian to Early Oxfordian dinoflagellate cysts

## REFERENCES

---

- and acritarchs from Kong Karls Land, Svalbard. *Review of Palaeobotany and Palynology* 56, 275-304.
- Smelror, M. 1994: Jurassic stratigraphy of the Western Barents Sea region: a review. *Geobios* 17, 441-451.
- Smelror, M. & Below, R. 1993: Dinoflagellate biostratigraphy of the Toarcian to Lower Oxfordian (Jurassic) of the Barents Sea region. Pp. 495-513 in Vorren, T.O. (eds.), Arctic Geology and Petroleum Potential, NPF Special Publication No. 2, Elsevier Sci. Publ.
- Smelror, M., Mørk, A., Monteil, E., Rutledge, D. & Leereveld, H. 1998: The Klippfisk Formation - a new lithostratigraphic unit of Lower Cretaceous platform carbonates on the Western Barents Shelf. *Polar Research* 17 (2), 181-202.
- Smith, D.G. 1975: The stratigraphy of Wilhelmøya and Hellwaldfjellet, Svalbard. *Geological Magazine* 112 (5), 481-491.
- Smith, D.G., Harland, W.B. & Hughes, N.F. 1975: The geology of Hopen, Svalbard. *Geological Magazine* 112 (1), 1-23.
- Smith, D.G., Harland, W.B., Hughes, N.F. & Pickton, C.A.G. 1976: The geology of Kong Karls Land, Svalbard. *Geological Magazine* 113 (5), 193-304.
- Sosipatrova, G.P. 1967: Verchnepaleozojskie foraminifery Špicbergena. (Upper Paleozoic foraminifers of Spitsbergen.) In: *Materialy po stratigrafií Špicbergena*. NIIGA, Leningrad. 94-120.
- Spath, L.F. 1921: On ammonites from Spitsbergen. *Geological Magazine* 58, 297-305.
- Spielhagen, R. 1985: *Geologischer Aufbau und Stratigraphie des Gebietes zwischen Hollendarbukta, Colesbukta und Hollandardalen im nordwestlichen Nordenskiöld Land*. Spitsbergen. Unpublished Diplom thesis, University of Kiel, 1-55.
- Steel, R.J. 1977: Observations on some Cretaceous and Tertiary sandstone bodies in Nordenskiöld Land, Svalbard. *Norsk Polarinstitutt Årbok* 1976, 43-68.
- Steel, R.J. & Worsley, D. 1984: Svalbard's post-Caledonian strata. An atlas of sedimentational patterns and palaeogeographic evolution. In: Spencer, A.M. et al. (eds.), *Petroleum Geology of the North European Margin*. Norwegian Petroleum Society, Graham & Trotman Ltd., 109-135.
- Steel, R.J., Gjelberg, J. & Haarr, G. 1978: Helvetiafjellet Formation (Barremian) at Festningen, Spitsbergen - a field guide. *Norsk Polarinstitutt Årbok* 1977, 111-128.
- Steel, R.J., Dalland, A., Kalgraft, K. & Larsen, V. 1981: The central Tertiary basin of Spitsbergen - sedimentary development in a sheared margin basin. Pp. 647-664 in Kerr, J.W. & Fergusson, A.J. (eds.): *Geology of the North Atlantic Borderlands*. Canadian Society of Petroleum Geologists, Memoir 7.
- Steel, R.J., Gjelberg, J., Helland-Hansen, W., Kleinspehn, K., Nøttvedt, A. & Rye Larsen, M. 1985: The Tertiary strike-slip basins and orogenetic belt of Spitsbergen. *Society of Economic Paleontologists and Mineralogists, Special Publication* 37, 339-360.
- Steel, R.J., Winsnes, T.S. & Salvigsen, O. 1989: Description of Geological map of Svalbard 1:100,000, sheet C10G Braganzavågen. *Norsk Polarinstitutt Temakart No. 4*.
- Stemmerik, L. 1988: Discussion. Brachiopod zonation and age of the Permian Kapp Starostin Formation. *Polar Research* 6, 179-180.
- Stemmerik, L. & Larssen, G.B. 1994: Diagenesis and porosity evolution of Lower Permian *Palaeoaplysina* buildups, Bjørneoya, Barents Sea: An example of diagenetic response to high-frequency sea level fluctuations in an arid climate. In Horbury, A.D. & Robinson, A.G. (eds.): Diagenesis and basin development. *American Association of Petroleum Geologists, Studies in Geology* 36, 199-211.
- Stemmerik, L., Larson, P.A., Larssen, G.B., Mørk, A. & Simonson, B.T. 1994: Depositional evolution of Lower Permian *Palaeoaplysina* build-ups, Kapp Dunér Formation, Bjørnøya, Arctic Norway. *Sedimentary Geology* 92, 161-174.
- Stolley, E. 1911: Zur Kenntnis der arktischen Trias. *Neues Jahrbuch für Geologie und Paläontologie* 1, 114-126.
- Sundsbøe, G. 1982: *Facies analysis of Late Carboniferous and Early Permian carbonates in the Billefjorden area, Spitsbergen*. Unpublished cand real. thesis, University of Bergen, 1-161.
- Swift, A. & Aldridge, R. J. 1985: Conodonts of the Permian system from Great Britain. In A.C. Higgins & R.L. Austin (eds.), *A Stratigraphical index of conodonts*, 218-236. Ellis Horwood, London (Brit.Micropal.Soc.)
- Talwani, M. & Eldholm, O. 1977: Evolution of the Norwegian-Greenland Sea. *Geological Society of America Bulletin* 88, 969-999.
- Thiedig, F., Pickton, C.A.G., Lehmann, U., Harland, W.B. & Anderson, H.J. 1979: Das Tertiär von Renardodden. *Mitteilungen des Geologisch-Paläontologischen Instituts der Universität Hamburg* 49, 135-146.
- Thusu, B. 1978: Aptian to Toarcian dinoflagellate cysts from Arctic Norway. In: Thusu, B. (ed.), Distribution of biostratigraphically diagnostic dinoflagellate cysts and miospores from the northwest European continental shelf and adjacent areas. *IKU Publ. no.100*, 61-95.
- Tozer, E.T. & Parker, J.R. 1968: Notes on the Triassic biostratigraphy of Svalbard. *Geological Magazine* 105, 526-542.
- Tyrrell, G.W. 1922: The pre-Devonian basement complex of Central Spitsbergen. *Transactions Royal Society of Edinburgh* 53, 209-229.
- Tyrrell, G.W. 1924: The geology of Prince Charles Foreland, Spitsbergen. *Royal Society of Edinburgh Transactions* 53 (2), 443-478.
- Ustrickij, V.I. 1967: Osnovnye čerty stratigrafií i paleogeografií verchnego paleozoja Špicbergena. (Main stratigraphical and paleogeographical features of the Upper Paleozoic of Spitsbergen.) Pp. 71-93 in V.N. Sokolov (ed.): *Materialy po stratigrafií Špicbergena*. NIIGA, Leningrad.
- Vasilevskaia, N. D. 1980: Rannemelovaja flora ostrova Špicbergen. (Early Cretaceous flora of the island of Spitsbergen.) In *Geologija osadočnogo čehla archipelaga Sval'bard*. (Geology of the sedimentary shelf succession of the Svalbard archipelago.) Sbornik naučnykh trudov, 61-69. NIIGA, Leningrad.
- Verdenius, J. G. 1978: A Valanginian calcareous nannofossil association from Kong Karls Land, Eastern Svalbard. *Norsk Polarinstitutt Årbok* 1977, 350-352.
- Vigran, J.O. 1994: Palynology of Upper Devonian to basal Permian rocks of the Arctic. *Unpublished IKU report nr. 23.1438.00/18/94*.
- Vigran, J.O., Mangerud, G., Mørk, A., Bugge, T. & Weitschat, W. 1998: Biostratigraphy and sequence stratigraphy of the Lower and Middle Triassic deposits from the Svalis Dome, Central Barents Sea, Norway. *Palynology* 22, 89-141.
- Vonderbank, K. 1970: Geologie und Fauna der tertiären Ablagerungen Zentral-Spitsbergens. *Norsk Polarinstitutt Skrifter* 153, 1-119.
- Weitschat, W. & Dagys, A.S. 1989: Triassic biostratigraphy of Svalbard and comparison of northeast Siberia. *Mitteilungen, Geologisch-Paläontologisches Institut der Universität Hamburg* 68.
- Weitschat, W. & Lehmann, U. 1978: Biostratigraphy of the uppermost part of the Smithian Stage (Lower Triassic) at the Botneheia, West Spitsbergen. *Mitteilungen, Geologisch-Paläontologisches Institut der Universität Hamburg* 48, 85-100.
- Weitschat, W. & Lehmann, U. 1983: Stratigraphy and ammonoids from the Middle Triassic Botneheia Formation (*Daonella Shales*) of Spitsbergen. *Mitteilungen, Geologisch-Paläontologisches Institut der Universität Hamburg* 54, 27-54.
- Wendorff, M. 1985: Geology of the Palffyodden area (NW Sørkapp Land, Spitsbergen): Course and some results of investigations. *Zeszyty Naukowe Uniwersytetu Jagiellońskiego, Prace Geograficzne* z. 63, 33-55.
- Wierzbowski, A. & Århus, N. 1990: Ammonite and dinoflagellate cyst succession of an Upper Oxfordian - Kimmeridgian black shale core from the Nordkapp Basin, southern Barents Sea. *Newsletters on Stratigraphy* 22 (1), 7-19.
- Wierzbowski, A. & Smelror, M., 1993: Ammonite succession in the Kimmeridgian of southwestern Barents Sea, and the *Amoeboceras* zonation of the Boreal Kimmeridgian. *Acta Geologica Polonica* 43, 229-249.
- Wierzbowski, A., Kulicki, C. & Pugaczewska, H. 1981: Fauna and stratigraphy of the uppermost Triassic and the Toarcian and Aalenian deposits in the Sassenfjorden, Spitsbergen. *Acta Palaeontologica Polonica* 26 (3-4).
- Wiman, C. 1910: Ichthosaurier aus der Trias Spitzbergens. *Bull. Geol. Inst. University of Uppsala* 10.
- Wiman, C. 1928: Eine neue marine Reptilien-Ordnung aus der Trias Spitzbergens. *Bull. Geol. Inst. University of Uppsala* 22.
- Winsnes, T.S. 1966: Observations on the Carboniferous and Permian rocks of Vestspitsbergen. *Norsk Polarinstitutt Årbok* 1964, 7-29.
- Wordie, J.M. 1919: Report on the Carboniferous exposures north of

- Adolf Bay (Spitsbergen). Scottish Spitsbergen Syndicate Papers.
- Worsley, D. 1973: The Wilhelmøya Formation - a new lithostratigraphic unit from the Mesozoic of Eastern Svalbard. *Norsk Polarinstitutt Årbok* 1971, 7-16.
- Worsley, D. & Edwards, M.B. 1976: The Upper Palaeozoic succession of Bjørnøya. *Norsk Polarinstitutt Årbok* 1974, 17-34.
- Worsley, D. & Heintz, N. 1977: The stratigraphical significance of a marine vertebrate fauna of Rhaetian age, Kong Karls Land. *Norsk Polarinstitutt Årbok* 1976, 69-81.
- Worsley, D. & Mørk, A. 1978: The Triassic stratigraphy of southern Spitsbergen. *Norsk Polarinstitutt Årbok* 1977, 43-60.
- Worsley, D., Johansen, R. & Kristensen, S.E. 1988: The Mesozoic and Cenozoic succession of Tromsøflaket. Pp. 42-65 in Dalland, A., Worsley, D. & Ofstad, K. (eds.), *A lithostratigraphic scheme for the Mesozoic and Cenozoic succession offshore mid- and northern Norway*. Norwegian Petroleum Directorate Bulletin, 4.
- Worsley, D., Agdestein, T., Gjelberg, J., Kirkemo, K., Mørk, A., Olaussen, O., Steel, R.J. & Stemmerik, L. in press: Late Paleozoic basinal evolution of Bjørnøya, Svalbard, Norway: Implications for the Barents Shelf. *Submitted to Norsk Geologisk Tidsskrift*.
- Ytreland, G.K. 1980: *Sedimentation along the western margin of the Central Tertiary Basin (Firkanten Formation), Spitsbergen*. Unpublished cand. real. thesis, University of Bergen. 1-183.